



**Industry Leader In TRUE 360°
Compression Connectors and Tools
2008 Product Catalog**



Cable Pro's SLM Compression Tool...



CPLCCT-SLM Linear Compliant Compression Tool

ICM Corp. manufactures high-quality Cable Pro installation and specialty tools designed specifically with the AV professional installer in mind. The Linear Compliant Compression (SLM) Tool is unique in its self-adjusting, light-weight, one-step functionality creating a TRUE 360° compression.

The SLM tool has four interchangeable tips allowing installers to compress a variety of connector types that include F, RCA, BNC in nickel or gold.

The SLM can also compress ICM Corp.'s Right Angle Connectors, Speaker Connectors, and Standalone Splices. The splice connectors work with our patented Wall Plate System.

F-Conn compression connectors are available in sizes RG59, RG6, mini coax, and a variety of plenum sizes. The SLM compression tool greatly reduces the number of tools that installers need for custom installations.

Cable Pro's Double Bubble 360 Compression Tool...

ICM Corp. uses the highest quality materials and metals on the market to produce quality tools and connectors that create superior solutions for professional security installers.

The patented Cable Pro Radial Bubble Compression (RBC) Tool works with F-Conn's DB line of compression connectors in F, RCA and BNC to fit RG59, RG6, and a complete line of plenum size connectors for installations requiring plenum wiring.

The DB compression connection creates two 360-degree compression connections (one interior and one exterior) providing permanent, "double bubble" connection.

The system is ideal for security cameras and other exposed wiring installations. The unique double bubble connection provides superior protection against moisture migration limiting poor signal quality due to the elements.



CPLCRBC Radial Bubble Compression Tool

Seventy percent of all television trouble calls are connector-related, including complaints of herringbone patterns, vertical roll, ghosts, snowy images and no picture. F-Conn's compression connectors reduce service calls by supplying secure, lasting connections from the beginning.

- F-Conn connectors provide full 360° electrical continuity even under punishing conditions.
- Crafted to help overcome forward reflection, their pullout strength can also withstand more than 80 pounds of force.
- The radial design reduces the possibility of an impedance problem and can defeat ingress/egress at the connector.
- Internal "O" sealing rings prevent moisture migration, while the large ferrule surface insures proper RF and digital interface.
- F-Conn compression connectors don't require soldering.
- Meet SCTE-IPC and Bellcore requirements.

Connector Type	Cable Size						
	RGB	RG59	RG59Q	RG6	RG6Q	RG7	RG11
F-Conn Basic Series		X	X	X	X	X	X
F-Conn Commercial	X	X	X	X	X		X
F-Conn Gold	X	X	X	X	X		
Wall Plate Splices, Clips and Connectors	X	X	X	X	X		
F-Conn Double Bubble		X	X	X	X		



Commercial Connector Series



Speaker Connector Series



Gold Connector Series



Double Bubble Connector Series

Color Rings




Patented color rings for nickel and gold connectors are available in 14 different colors to designate signal types and location. Easily identify cables and wires for quick installations. Part number FSCR-* (* = specify color)

F-Conn Connectors



F-Conn's compression connector line is designed for custom installations when appearance matters. Connectors come in nickel or gold for a professional finished look.



F Connectors

	Cable Size	Description	ICM Part Number	
	RG6/6 Quad	Universal F Nickel	FS6U	
	RG6/6 Quad	Universal F Gold	RG6U	
	RG6/6 Quad	Plenum F Size 1	FS6PL	
	RG6/6 Quad	Plenum F Size 2	FS6PL2	
	RG59/59 Quad	Universal F Nickel	FS59U	
	RG59/59 Quad	Universal F Gold	RG59U	
	RG59/59 Quad	Plenum F Size 1	FS59PL	
	RG59/59 Quad	Plenum F Size 2 & 3	FS59PL2	
	RG59/59 Quad	Plenum F Size 4	FS59PL4	
	RG11*	F Nickel	FS11V	

RCA Connectors

	Cable Size	Description	ICM Part Number	
	25-26AWG	RCA Nickel Multi-Piece	FSRCA1RGB	
	25-26AWG	RCA Nickel One-Piece	FS1RCA	
	25-26AWG	RCA Gold Multi-Piece	RGRCA1RGB	
	25-26AWG	RCA Gold One-Piece	RG1RCA	
	22-24AWG	RCA Nickel Multi-Piece	FSRCA15RGB	
	22-24AWG	RCA Nickel One-Piece	FS15RCA	
	22-24AWG	RCA Gold Multi-Piece	RGRCA15RGB	
	22-24AWG	RCA Gold One-Piece	RG15RCA	
	RG6/6 Quad	Universal RCA Nickel	FS6RCAU	
	RG6/6 Quad	Universal RCA Gold	RG6RCAU	
	RG6/6 Quad	Universal RCA Female Nickel	FS6RCAUF	
	RG59/59 Quad	Universal RCA Nickel	FS59RCAU	
	RG59/59 Quad	Universal RCA Gold	RG59RCAU	
	Plenum RG59	RCA Nickel	FS59RCAPL	
	Security RG59	RCA Nickel	FS59RCASL	
	RG59/59 Quad	Universal RCA Female Nickel	FS59RCAUF	

- * = RG11, F connectors work with CPLCCT-SS59/11 tool
- ** = RG11, BNC connectors work with CPLCCT-11BNC tool.

F-Conn Connectors



F-CONN CONNECTORS

BNC Connectors



Cable Size	Description	ICM Part Number
25-26AWG	BNC Nickel Multi-Piece	FSBNC1RGB
25-26AWG	BNC Nickel One-Piece	FS1BNC
25-26AWG	BNC Gold Multi-Piece	RGBNC1RGB
25-26AWG	BNC Gold One-Piece	RG1BNC
22-24AWG	BNC Nickel Multi-Piece	FSBNC15RGB
22-24AWG	BNC Nickel One-Piece	FS15BNC
22-24AWG	BNC Gold	RGBNC15RGB
22-24AWG	BNC Gold One-Piece	RG15BNC
RG6/6 Quad	Universal BNC Nickel	FS6BNCU
RG6/6 Quad	Universal BNC Gold	RG6BNCU
RG6/6 Quad	Universal BNC Female Nickel	FS6BNCUF
RG59/59 Quad	Universal BNC Nickel	FS59BNCU
RG59 & RG59 Quad	Universal BNC Gold	RG59BNCU
Plenum RG59	BNC Nickel	FS59BNCPL
Security RG59	BNC Nickel	FS59BNC SL
RG59	Universal BNC Female Nickel	FS59BNCUF
RG11**	BNC Nickel	FS11BNC



IEC Connectors



Cable Size	Description	ICM Part Number
RG6	Universal IEC Female Nickel	FS6IECUF
RG6	Universal IEC Male Nickel	FS6IECUM
RG6	Universal IEC Female Gold	RG6IECUF
RG6	Universal IEC Male Gold	RG6IECUM
RG59	Universal IEC Female Nickel	FS59IECUF
RG59	Universal IEC Male Nickel	FS59IECUM
RG59	Universal IEC Female Gold	RG59IECUF
RG59	Universal IEC Male Gold	RG59IECUM



- * = RG11, F connectors work with SS59/11 tool
- ** = RG11, BNC connectors work with CPLCCT-11BNC tool.

F-Conn Standalone Splices

Standalone Splices for ICM Corp.'s Patented Wall Plate System

Read more about our new Wall Plate System on page 38.



CPLCCT-SLM
Utilize this tool.

- Our Standalone Splices have replaced the ready made HIP inserts with plastic clips.
- Standalone splices can now be inserted into clips as needed to match wall plate colors, allowing installers to customize installations on the spot.
- Available in F, RCA, BNC, for RG6, RG59, RGB 22-24AWG mini coax and RGB 25-26AWG mini coax, in gold or nickel finish.



Cable Size	Description	ICM Part Number Nickel Finish	ICM Part Number Gold Finish
RG6/6 Quad	F	FS6US	RG6US
RG6/6 Quad	BNC	FS6BNCUS	RG6BNCUS
RG6/6 Quad	RCA	FS6RCAUS	RG6RCAUS
RG59/59 Quad	F	FS59US	RG59US
RG59/59 Quad	BNC	FS59BNCUS	RG59BNCUS
RG59/59 Quad	RCA	FS59RCAUS	RG59RCAUS
Mini 25-26AWG	BNC Stranded or Solid	FS1BNCSSST	RG1BNCSSST
Mini 25-26AWG	RCA Stranded or Solid	FS1RCASSST	RG1RCASSST
Mini 22-24AWG	BNC Stranded or Solid	FS15BNCSSST	RG15BNCSSST
Mini 22-24AWG	RCA Stranded or Solid	FS15RCASSST	RG15RCASSST

F-Conn Right Angle Series

New!

Patented Right Angle Connectors

ICM Corp. now offers Right Angle Compression Connectors for mini cable.

Right angle compression connectors are the perfect solution for tight spaces. Use with rack mounts, plasma TVs, or any place where extra space is needed.

- F, RCA and BNC connectors are available to fit RG59 and RG6 cable
- RCA and BNC connectors are available to fit 22-24AWG mini coax and 25-26AWG mini coax.
- All right angle connectors are offered in nickel.



Cable Size	Description	ICM Part Number
25-26AWG	BNC right angle	FSBNC1RA
25-26AWG	RCA right angle	FSRCA1RA
22-24AWG	BNC right angle	FSBNC15RA
22-24AWG	RCA right angle	FSRCA15RA
RG6/6 Quad	F right angle	FS6URA
RG6/6 Quad	BNC right angle	FSBNC6URA
RG6/6 Quad	RCA right angle	FSRCA6URA
RG59/59 Quad	F right angle	FS59URA
RG59/59 Quad	BNC right angle	FSBNC59URA
RG59/59 Quad	RCA right angle	FSRCA59URA

RIGHT ANGLE SERIES

F-Conn One-Piece RCA Connectors

New!

To ensure the same great performance and quality that our customers have come to depend on, the NEW One-Piece RCA compression connectors feature ICM Corp.'s signature 360° compression technology. In addition to creating a permanent, rock-solid connection, to simplify the installation there are no longer any hassles with loose pins.



The one-piece RCA connectors feature our patented non-blind entry allowing professional installers to easily insert the wire into the connector pin. As the center pin slides forward the removable plastic guide will be exposed. Remove the plastic guide and the center pin will fit snug in to the connector. One-piece RCA's provide quality and ease to any custom installation.

The new one-piece RCA compression connectors are available to fit RG59 and RG6 cable sizes in nickel or gold. To make ordering easier the part number is staying the same!



FS6RCAU



FS59RCAU



Removable
Plastic Pin



Non-Blind
Center Pin

F-Conn One-Piece Mini Coax Connectors



Patented One Piece Compression Connectors for Solid Center Mini Coax

ICM Corp. provides One-Piece BNC and RCA compression connectors for Solid Center Mini Coax, high-end audio/video wiring installations.

- One-piece mini coax compression connectors allow for quick and easy installations with fewer parts and pieces. Saves time and money in training, and reduces installer error.
- Installers get consistent, repeatable installations time after time.
- Available in RCA, BNC to fit RGB 22-24AWG mini coax and RGB 25-26AWG mini coax, in gold or nickel.



Cable Size	Description	ICM Part Number Nickel Finish	ICM Part Number Gold Finish
Mini 25-26AWG	BNC One-Piece	FS1BNC	RG1BNC
Mini 25-26AWG	RCA One-Piece	FS1RCA	RG1RCA
Mini 22-24AWG	BNC One-Piece	FS15BNC	RG15BNC
Mini 22-24AWG	RCA One-Piece	FS15RCA	RG15RCA

ONE-PIECE GOONNECTORS

F-Conn Plenum Series



Today professional installers must be conscious of laws that require specialized plenum cabling for installations running throughout spaces that are used for air circulation.

There are many sizes of plenum cable available on the market. ICM Corp. has created a full line of plenum compression connectors to work with a large variety of those plenum cable sizes.

ICM Corp.'s line of plenum connectors utilize our signature 360° compression technology allowing professional installers to create a reliable, rock-solid connection each and every time. The F-Conn plenum compression connectors are offered for both the SLM and DB 360 Compression Connection Systems depending on the tool you prefer to work with.

**For a complete listing of plenum sizes please refer to the F-Conn Connector Sizing Chart on page 46*

F-Conn Speaker Series

ICM Corp.'s Speaker Compression Connector series utilizes our patented 360° compression for a solid, permanent connection. The speaker connectors work with ICM Corp.'s Wall Plate System and corresponding modular clips to make custom installations much faster and more efficient. The speaker series includes a standard speaker connector and a right angle connector so installers will be prepared for any custom installation. Available screw-on tips include banana, pin and spade. Connectors fit 12AWG, 14AWG, and 16AWG wire, for convenience and simplicity in any custom AV installation.



CPLCCT-SLM
Utilize this tool.



RGSP L
Spade Tip



RGSP B
Banana Tip



RGSP P
Pin Tip



RGSPUR
Right Angle
Speaker
Connector



RGSPU
Speaker
Connector

New!

F-Conn Speaker Binding Post

The NEW Speaker Binding Post allows professional installers to compress the speaker binding post directly to the wire creating a strong, secure connection. By creating the speaker binding post as an individual component, professional installers have fewer pieces to hassle with and match up, thus reducing cost and inventory. Additionally, fewer pieces allow for more space for installers to work in, and creates a clean wire connection.

The speaker binding post includes custom sleeves for 12AWG, 14AWG and 16AWG to ensure a perfect fit. Also included with the set of speaker binding posts are two screw tips (1 red/ 1 black) for identification of positive and negative connections. The speaker binding posts are designed to work with ICM Corp.'s speaker connector series. ICM Corp.'s compression connectors, tools, and wall plate components are designed as one integrated system to complete any custom installation from start to finish.



RGSPPOST

F-Conn DB Connector Series



Patented DB 360 Compression Connectors Work As A Complete System With The RBC Compression Tool

The Radial Bubble Compression Tool and DB 360 compression connectors work as a complete system to provide a secure, reliable solution to all your custom security installations. The DB line of connectors is available in F, RCA and BNC in RG59 and RG6, as well as a full line of plenum sizes.

- The DB 360 Compression Connection System creates two 360 ° compression connections (one interior and one exterior) providing a permanent, “double bubble” connection.
- Ideal for security cameras and other exposed wiring installations. The unique double bubble connection provides superior protection against moisture migration limiting poor signal quality due to the elements.

Double Bubble F Connectors



Cable Size	Description	ICM Part Number
RG59/59 Quad	F	DB59U
RG59	F	DB59PL2/4
RG6/6 Quad	F	DB6U
RG6	F Plenum	DB6PL2

Double Bubble RCA Connectors



Cable Size	Description	ICM Part Number
RG59/ 59 Quad	RCA	DB59RCAU
RG59	Security Plenum Sizes 2-4	DB59RCASL DB59RCAPL2/4
RG6/6 Quad	RCA	DB6RCAU
RG6	RCA Plenum	DB6RCAPL2

Double Bubble BNC Connectors



Cable Size	Description	ICM Part Number
RG59 / 59 Quad	BNC	DB59BNCU
RG59	Security / CCTV	DB59BNC SL
RG59	BNC Plenum 2-4	DB59BNCPL2/4 DB59BNCPL3
RG6 / 6 Quad	BNC	DB6BNCU
RG6	BNC Plenum	DB6BNCPL2

F-Conn DBDS3 / DBDS4 Connectors

New!

**Patented One Piece
Compression Connectors for
735A / 734D Coax**



Introducing ICM Corp.'s One Piece BNC DBDS3 / DBDS4 compression connectors for DS3 / DS4 wiring installation and applications.

To ensure the same great performance and quality that our customers have come to depend on, the NEW DBDS3 and DBDS4 BNC compression connectors feature ICM Corp.'s signature 360° compression technology to create a permanent, rock-solid connection each and every time. The one piece connector simplifies the installation.

The DS3 / DS4 BNC compression connectors feature our patented non-blind entry allowing professional installers to easily insert the wire into the connector pin. The new DS3 / DS4 compression connectors are available to fit Belden and Commscope 735A / 73501 and 734D1 / 734S1 cable sizes.



Non-Blind Entry

360-degree
radial
compression



Superior
pull-out
strength

Description	DS3 Cable Sizes		DS4 Cable Sizes	
	Belden 735A1	Commscope 735A	Belden 734D1	Commscope 734S1
Center Conductor	.016"	.016"	.032"	.032"
Dielectric	.077"	.077"	.148"	.150"
Outer Jacket	.127"	.129"	.235"	.236"

F-Conn Basic Series Connectors



Basic Series End Fixture Connectors



Cable Size	Description	ICM Part Number
RG58	End Fixture, Internal Ring	EF58WR
RG59	End Fixture, Internal Ring	EF59WR
RG6 Quad	End Fixture, STD Smooth	EF6NR
RG6	End Fixture, Internal Ring	EF6WR

Basic Series Head Fixture Connectors



Description	ICM Part Number
Head Fixture, BNC	HFBNC
Head Fixture, IEC Female	HFIEC/F
Head Fixture, IEC Male	HFIEC/M
Head Fixture, Right Angle	HFRA
Head Fixture, RCA Male	HFRCA/M-RS

Basic Series F 11 Connectors



Cable Size	Description	ICM Part Number
RG11	60% to Quad No Tool	F11WR
RG11	With Fixed Pin	F-11ALM
RG11	Splice	F11SP

F-Conn Basic Series Connectors



Basic Series F Connectors

Cable Size	Description	ICM Part Number
Mini	F Connector	F59MINI
RG59	F Connector with Internal Sealing Rings	RG59WR
RG59	F Connector with Internal Sealing & External O-Ring	RG59WRO
RG59 Quad	Quad F Connector with Internal Sealing	RG59NR
RG6	F Connector with Internal Sealing	RG6WR
RG6	F Connector with Internal Sealing and External O-Ring	RG6WRO
RG6 Quad	Quad F Connector	RG6NR
RG6 Quad	Quad F Connector With External O-Ring	RG6NRO
RG7	F Connector with Internal Sealing and External O-Ring	RG7WRO
RG7	F Connector with Internal Sealing	RG7WR

Basic Series RCA Connectors



Cable Size	Description	ICM Part Number
RG59	One Piece RCA Connector with Internal Sealing Rings	RG59-RCAWR
RG6	One Piece RCA Connector with Internal Sealing Rings	RG6-RCAWR

Basic Series F81 Connectors



Cable Size	Description	ICM Part Number
N/A	F-female to F-female w/ Round Seizure, Nut, Washer	F81 RS/NW
N/A	F-female to F-female Round Seizure	F81-RS

Connecting with the best has never been easier.


Cable Pro manufacturers high-quality installation and specialty tools designed specifically for the cable industry:



PSA59/6 Stripper Tool



PS59/6/RGB Stripper Tool



**CPLCCT-SLM
Linear Compliant
Compression Tool**






**RTC 360 Radial Taper
Compression Tool**






**CPLCRBC Radial
Bubble Compression Tool**

Cable Pro Cable Strippers




- Prepping drop wire and cable is a cinch with these professional Cable Strippers.
- Built with patented cable stop for correct 1/4" x 1/4" prep every time.






Cable Strippers			
Item #	Description	Image	Features
PSA59/6	Cable Pro Stripper		<ul style="list-style-type: none"> • Preps RG59 and RG6 60% quad shield drop wire. • Stripper cartridges come preset from the factory at the standard 1/4" x 1/4" prep. • Blades may be adjusted to different prep lengths on the PSA59/6 cartridge. • Spare cartridge is included. • RG6 Flaring Tool on side.
PSCA59/6	Replacement Cartridges		<ul style="list-style-type: none"> • Replacement Cartridges for the PSA59/6 Cable Pro Stripper.
PS59/6/RGB	Cable Pro Stripper		<ul style="list-style-type: none"> • Preps RG59 , RG6 and RGB drop wire. • Stripper cartridges come preset from the factory at the standard 1/4" x 1/4" prep. • Spare cartridge is included.
PSC59/6/RGB	Replacement Cartridges		<ul style="list-style-type: none"> • Replacement Cartridges for the PS59/6/RGB Cable Pro Stripper.
PS11	Cable Pro Stripper		<ul style="list-style-type: none"> • Preps RG7 and RG11 cable. • Stripper cartridges come preset from the factory at the standard 1/4" x 1/4" prep. • Spare cartridge is included.
PSC11	Replacement Cartridges		<ul style="list-style-type: none"> • Replacement Cartridges for the PS11 Cable Pro Stripper.

Cable Pro Compression Tools




Linear Compliant Compression Tools			
Part #	Description	Image	Features
CPLCCT-1-S	Linear Compliant Compression Tool RG59/6 F/RCA Steel cast		<ul style="list-style-type: none"> Effortless One step operation Fits in the palm of your hand No adjustments required Strong, lightweight construction 1-year manufacturers warranty Self-adjusting design This universal tool is pre-calibrated to handle various connectors from RG59 to RG11 without adjustments, tip changes, or recalibration. Use with the Digicon S, Gilbert Ultra Seal, LRC Snap and Seal, and PPC EXXL connectors. These are Steel cast bodies
CPLCCT-SS59/11	Linear Compliant Compression Tool RG59/6/7/11 F-Conn—Digicon		
CPLCCT-GS59/11	Linear Compliant Compression Tool RG59/6/7/11 Gilbert connectors		
CPLCCT-LS59/11	Linear Compliant Compression Tool RG59/6/7/11 LRC Connectors		
CPLCCT-SLM	Linear Compliant Compression Tool RG59/6/RGB F/RCA/BNC		<ul style="list-style-type: none"> Use with BNC, RCA, IEC, Right Angle, Speaker, Splices, Commercial, and Gold F-Type connectors

Cable Pro Compression Tools





Radial Taper Compression Tool			
Part #	Description	Image	Application
RTC 360	Radial Taper Compression Tool		<ul style="list-style-type: none"> Made of high-quality stainless steel, the patented RTC 360 produces a watertight, weather-resistant seal that also reduces radiation leakage. This compression tool works with F-Conn line of F connectors.
CPLCRTC-B CPLCRTC-R CPLCRTC-Y CPLCRTC-G	Radial Taper Compression Tool		<ul style="list-style-type: none"> This compression tool works with the F-Conn basic series line of F and RCA connectors. Four colors available—Blue (B), Red (R), Yellow (Y), Green (G)
CPLCRBC-B CPLCRBC-R CPLCRBC-G CPLCRBC-Y	Radial Bubble Compression Tool		<ul style="list-style-type: none"> Specially designed tool for use with ICM Corp.'s DB 360 Compression Connection System. This compression tool also works with the F-Conn basic series line of F, RCA and BNC Connectors. Colors available—Blue (B), Red (R), Green (G), & Yellow (Y)

CPLCCT-SLM Interchangeable Tips	No Adapter					
		Nickel F Adapter	Gold F Adapter	Nickel IEC Adapter	Right Angle Adapter	Wall Plate Insert Adapter
SLM Tip		LMTIP-S	LMTIP-G	LMTIP-IEC	LMTIP-RA	LMTIP-WP
Nickel Connectors		•				
Gold F Connectors			•			
Nickel BNC Connectors	•					
Gold BNC Connectors	•					
Nickel RCA Connectors			•			
Gold RCA Connectors			•			
Nickel IEC Connectors				•		
Gold IEC Connectors				•		
Nickel Right Angle Connectors					•	
Nickel Wall Plate Insert Connectors						•




Cable Pro Wrenches

Trap Wrenches			
Item #	Description	Image	Features
<ul style="list-style-type: none"> All Trap Wrenches are made from 6061 Aluminum. The wrenches are hard anodized for protection and easy identification. All wrenches have two high strength steel pins, press fitted into the aluminum tube, to remove traps. 			
TW716	Trap Wrench		<ul style="list-style-type: none"> Fits all standard traps. Fits all 7/16" hex F-fittings. Recommended for normal use. Knurled hand grips assure controlled handling. Lightweight aluminum construction. Anodized red for easy identification.
TWS716	Super Trap Wrench		<ul style="list-style-type: none"> Has the same great features as the standard tool, except the 7/16" hex head is made of hardened steel for longer life. Recommended for heavy use. Anodized black for easy identification.
TWC716 and TWC716-EX	Combo Trap Wrench		<ul style="list-style-type: none"> The Combo Wrench combines a TW716 Trap Wrench with a security sleeve tool. Fits all standard traps. Fits all sizes of security sleeves. Security socket is made of hardened steel for longer life. Anodized blue for easy identification. TWC716 (for metal security sleeves) TWC716-EX (for plastic security sleeves)

Cable Pro Wrenches



Torque Wrenches			
Item #	Description	Image	Features
<p>TRS716- * TRS716*SS-EX TRS716SS- *</p>	<p>Torque Wrench</p>		<ul style="list-style-type: none"> • Use to torque 7/16" F-fittings. • This tool was designed to work easy with multipart taps. • We preset your TRS716 Torque Wrench in our factory to your desired torque. • * Indicates the torque setting you specify. Typical settings range from 10-40 inch pounds. • Use part numbers TRS716 and TRS716SS-EX for plastic security sleeves. • Use part number TRS716SS for metal security sleeves. • We also offer Torque Wrenches with an extra deep broach to accommodate Raychem's EZF fittings. • Customize any socket.
<p>TROE716E-*</p>	<p>True Torque Open End Wrench Version</p>		<ul style="list-style-type: none"> • TROE716E-* set to torque 7/16" F-fittings. • * Indicates the torque setting you specify. Typical settings range from 10-60 inch pounds. • The TROE716E-* can be customized in our factory to your desired torque (in inch pounds). • TR-OE 716/* set to torque 7/16" or 9/16" F-fittings.
<p>TR-OE 716/* TR-OE 916/*</p>	<p>True Torque Open End Wrench</p>		<ul style="list-style-type: none"> • * Indicates the torque setting you specify. The 7/16" settings range from 10-60 inch pounds. The 9/16" settings range from 10-40 inch pounds. • The TR-OE 716/* and TR-OE 916/* can be customized in our factory to your desired torque (in inch pounds).
<p>TRFE38-*</p>	<p>Fixed 3/8" Socket Drive Torque Wrench</p>		<ul style="list-style-type: none"> • Has a 3/8" drive and fixed head. • This is the same great tool as the TROE716 plus the ability to use different size sockets. • * Indicates the torque setting you specify. Typical settings range from 10-40 inch pounds.

Cable Pro Wrenches





Item #	Description	Image	Features
TRS3/8-*	Swivel 3/8" Socket Drive Torque Wrench		<ul style="list-style-type: none"> Has a 3/8" drive and swivel head. This is the same great tool as the TRS716 plus the ability to use different size sockets. * Indicates the torque setting you specify. Typical settings range from 10-40 inch pounds. We preset your True Torque Open End Wrench in our factory to your desired torque (in inch pounds).
HT716	Head End Extended Socket		<ul style="list-style-type: none"> Use in Head end or behind rack. Use to torque 7/16" F-fittings where access space is at a premium (in tight places and in headends). Socket extends 8" from the handle.
HTBNC	Head End Extended Socket		<ul style="list-style-type: none"> Use in Head end or behind rack. Head is formed for BNC connectors. Socket extends 8" from the handle.

Security Wrenches



- All Security Wrenches are made of chrome plated, hardened 4130 steel.
- All tools have a spring steel handle for additional leverage.

Item #	Description	Image	Features
SWU716	Universal Security Wrench		<ul style="list-style-type: none"> Fits all sizes of security sleeves. Tightens to 40 inch pounds. Can be used with all "F" and "CF" type terminators. Available with an extra deep broach to accommodate Raychem's EZF fittings. One year warranty.
SWU716-EX	Thick Wall Security Wrench		<ul style="list-style-type: none"> This is a thick wall version of the SWU716 for plastic sleeves, and includes all the features of the SWU716 (see above). One year warranty.



Cable Pro Wrenches

Item #	Description	Image	Features
DSW716	Dual Security Wrench		<ul style="list-style-type: none"> • Two tools in one. • Combines a 7/16" security socket and a 1/2" socket. • 7/16" socket fits standard "F" fittings. • 1/2" socket fits LRC seal nut fittings and Gilbert TAC fittings.
MSW716	Mini Security Wrench		<ul style="list-style-type: none"> • 1 13/16" in length • No features available
SW-SACHS	Sach Sleeve Security Wrench		<ul style="list-style-type: none"> • No features available
Can Wrench			
CNW6 and CNW8	Can Wrench		<ul style="list-style-type: none"> • Used to open pedestals and tighten ground straps and taps. • CNW6 combines 3/8" and 7/16" sockets. • CNW8 combines 7/16" and 1/2" sockets. • Different socket sizes can be special ordered.


Cable Pro Terminating Tools

Terminating Tools			
Item #	Description	Image	Features
GTT-4 and GTT-7	Gilbert Terminating Tools		<ul style="list-style-type: none"> • Use with all Gilbert Locking Terminators. • Features solid spring steel ears. • Available in two lengths: 4" and 7". • Both tools are durable, long lasting, and easy to use.
VTT-4 and VTT-7	Viewsonics Terminating Tools		<ul style="list-style-type: none"> • Use with all Viewsonics Locking Terminators. • Available in two lengths: 4" and 7". • This tool is made of zinc plated tool steel.


Cable Pro Continuity Testers

Continuity Testers			
Item #	Description	Image	Features
TS-18	Toner Unit		<ul style="list-style-type: none"> This tool features a large buzzer for clear, audible signal. LED display detects splitters and shorts in drops. Two 9-volt batteries (18 volts) allow you to test longer drops.
BB-18	Buzz Box Unit		
TB-18	Toner Unit with Battery		
CPPT-1 Pen Toner	Pen Toner		<ul style="list-style-type: none"> This tool clips to shirt pocket for easy access. The right angle male push-on connector makes it easy to work in tight spaces. The female push-on connector allows for faster toning. Loud audio tone identifies line carrying signal. Battery included. RCA & BNC easy to test as well with a small jumper made by using our F-conn connectors. <p>* Replacement battery— Eveready® A23BP-2, Duracell® MN21-B</p>


Cable Pro Siamese Strippers

Siamese Strippers			
Item #	Description	Image	Features
SS596	Siamese Strippers		<ul style="list-style-type: none"> Use Siamese Strippers to separate twisted pair and coaxial siamese cable. You can also use these Strippers to separate the messenger coaxial cable. The SS596 was designed to work with Series 59 and Series 6 coaxial cable.


Cable Pro Installation Tools

Installation Tools			
Item #	Description	Image	Features
IT716 and IT916	Installation Tools		<ul style="list-style-type: none"> These Installation Tools speed the installation and the removal of drop cable. Available in 7/16" and 9/16" sizes. Both tools feature knurled surfaces, a cable slot, and a hard anodized finish to protect your hands. Made from 6061 Aluminum.


Cable Pro Flaring & Insertion Tool

Flaring & Insertion Tool			
Item #	Description	Image	Features
FIT-59, FIT-6, and FIT-11	Flaring & Insertion Tool		<ul style="list-style-type: none"> Heat treated steel with black oxide finish. Insertion side threads are machined and buffed. Flaring side has precision ground flaring edge. Extruded handle is comfortable and long lasting. Ideal for plenum cable. This tool eases the insertion of Series 59, 6 and 11 connectors in cold weather and on plenum cable.


Cable Pro Telephone Tool

Telephone Tool			
Item #	Description	Image	Features
532HEX	Telephone Tool		<ul style="list-style-type: none"> This tool has a 5/32" hex end to open telephone pedestals and boxes. Made of long lasting, high carbon steel.

Cable Pro Punch Down Tool





Telephone Tool			
Item #	Description	Image	Features
CPCAT5-PDT	Punch down tool kit		<ul style="list-style-type: none"> Insert and cut cable terminations effortlessly with the Cable Pro Punch Down Tool. Impact absorbing cushioned grip reduces operator stress for high-volume installers. Adjustable high/low actuation setting accommodates termination requirements or operator preference. Compatible with HIP punch down modular jack. Storage compartment with unique locking device provides convenient storage for spare blades.

Cable Pro Strip/Crimp Tool

Telephone Tool			
Item #	Description	Image	Features
CPRJ11-45	RJ11 & RJ45 Strip/Crimp Tool		<ul style="list-style-type: none"> Easy crimp of RJ11 & RJ45 plugs Blade wire stripper included. Use with HIP modular plugs.

Cable Pro Cable Caddies

- All Cable Caddies feature a tough, durable powder coat paint finish.

Cable Caddies			
Item #	Description	Image	Features
CC2016B	Cable Caddy		<ul style="list-style-type: none"> Holds one 20" x 16" reel. Compact unit Folds up for easy storage. Made of sturdy 3/4" tubing. Individually boxed and shipped flat
CC2016BW	Cable Caddy		<ul style="list-style-type: none"> Holds one 20" x 16" reel. Compact unit Folds up for easy storage. Made of sturdy 3/4" tubing. Individually boxed and shipped flat Features 6" wheels
CC2024	Cable Caddy		<ul style="list-style-type: none"> The CC2024 features two 6" wheels for easy movement. Holds one 20" x 24" reel. Folds for easy storage. Made of sturdy 1" tubing. Individually boxed and shipped flat
CC2036	Dual Cable Caddy		<ul style="list-style-type: none"> The CC2036 features two 6" wheels for easy movement. Holds various combinations of reels Adjustable bar heights Can be loaded two different ways Folds for easy storage. Made of sturdy 1" tubing. Individually boxed and shipped flat